Plot	Site	Species	Age #	Carbon	# CO2 Waikerer	# CO2nat ETS	# CO2 pine ETS	# NStems #	t NSpp	# BA	# mDBH	# maxDBH	# PArea	# Long	# Lat	Datum	Vegetation.Notes
	Waikereru		19	51.38	235.69	146.30	401.00	39	5	0.322	12.1	23.7	0.00985	2040503	5714134		Kahikatea planting. One staked tiny PITten that we did not measure. Very small rivulet through C and D. Lots of DACdac litter on bare floor. Seedlings included: CORlae, ALEexc, KNlexc, PITten.
RPG19.2	Waikereru	Tōtara	19	62.42	286.34	146.30	401.00	72	8	0.339	7.8	26.8	0.00993	2040485	5714072	NZTM	Totara planting. Between fence to 1764 garden and gravel track. Muehlenbeckia australis large vine in plot. Jerusalem cherry in subplot C. Seedlings included: ALEexc, PITten
RPG19.3	Waikereru	Tītoki	19	57.26	262.69	146.30	401.00	203	10	0.265	7.7	20.3	0.00985	2040537	5714098	NZTM	ALEexc planting with kanuka overstory. Some wire cages on edge of plot = later planting? Jerusalem cherry present. Seedlings included: GENIVI, RUBcis, DACdac (planted)
RPG24.1	Waikereru	Lemonwood	24	55.78	255.90	204.70	692.00	131	6	0.366	8.2	18	0.00974	2040690	5714493	NZTM	Stand of PITeug. Patches of single species plantings along the bottom of the foothills. Planted in 2001 with minimal infill. Karaka seedlings. Overlaps Tāne's Tree Trust PSP 02 (stake in subplot B)
	Waikereru		24	47.26	216.82	204.70	692.00	85	5	0.431	10.0	18.6	0.00985	2040719	5714506		Main planting was CORlae (karaka). Dense canopy and sparse understorey. Lots of bare muddy ground. Tawa seedlings.
RPG24.3	Waikereru	Pūriri	24	135.15	620.00	204.70	692.00	92	6	0.640	16.0	30.5	0.00974	2040749	5714527	NZTM	Puriri (VITluc) planting. Seedlings included: karaka (CORlae), tawa (BEItaw), HEDarb
RPG24.4	Waikereru	Mixed	24	73.50	337.18	204.70	692.00	83	13	0.475	9.8	33	0.00970	2040804	5714564	NZTM	Kahikatea, totora and other species planted. May be a younger planting. Seedlings included: tawa, taraire, titoki, CARser, HEDarb
	Waikereru		18	48.94	224.50	133.60	367.00	84	2	0.254	5.9	14.6	0.00819	2040917	5714784		Natural regen kanuka, approximately 13 years old. Some sign of deer/goats (tracks and droppings) near seed island planting (Tané's Tree Trust are measuring).MY Raus, GENIvl sdlg (<1%), ALEexc. Year planted: stock removed approximately 2007.
NRG13.2	Waikereru	Kânuka	18	21.79	99.96	133.60	367.00	33	2	0.118	5.7	18.4	0.00788	2040845	5714755	NZTM	Ridge between two gullies, not much regeneration, with thick grass. Plot includes one planted KNlexc and one seedling KNlexc on the edge. One KNleri may be a legacy plant (from before stock removed). PlT crassifolium seedling browsed. Seedlings included: MELram also browsed, COPtha CARser: Mexican daisy (Erigeron karvinskianus) present. Stock removed approximately 2007.
NRG13.3	Waikereru	Kānuka	18	57.44	263.51	133.60	367.00	42	1	0.271	8.1	14.7	0.00961	2040814	5714696	NZTM	Kanuka stand. Seedlings included: PSEarb, COPrha, MELram, PIPexc, CARser, MYRaus. Droppings in plot.Stock removed approximately 2007.
NRG13.4	Waikereru	Kānuka	13	38.58	177.00	71.50	219.00	76	7	0.195	5.6	9.9	0.00914	2040869	5714678	NZTM	Kanuka stand between track and very young seed island, bare ground with dead branches. Seedlings included: MYRaus, PSEarh, GENNI, CARser, ALEexe, PSE crassifolius, DIDspe, GRIlit, PLAreg, Stakes with shadecolth around them in plot- nothing alive inside. Stock removed approximately 2007.
NRG24.1	Waikereru	Kānuka	24	51.97	238.40	204.70	692.00	165	8	0.233	6.6	15.5	0.00883	2040557	5714053	NZTM	Kanuka overstorey with regen understorey within approximately 100 m of plantings. Mossy ground with lots of ferns and sdigs. Seedlings included: PSEcra, PSEarb, HEDarb, DODvis, ALEexc, PIT crassifolium, PENcor. Clematis in canopy. Stock removed approximately 2001.
NRG24.2	Waikereru	Kānuka	24	59.25	271.82	204.70	692.00	280	15	0.283	6.2	16.7	0.00906	2040553	5714034	NZTM	Kanuka canopy with dense understorey. Seedlings included: ELEden, BEItaw, HEDarb, ALExex, KNIexe. Some enrichment planting under canopy at edge of plot (minimal disturbance). Rubus and Clematis on the ground. Steep muddy slope with lots of kanuka debris. Plot includes edge of ridge (planted) and small gully (dense regeneration). Stock removed approximately 2001.